



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® WELDER

SAFETY GLASSES



TECHNICAL DATA





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® WELDER

SAFETY GLASSES

**ARTICLE NO.**                      **E4101**

<b>Lens material</b>	Polycarbonate
<b>Material frame</b>	vinyl
<b>Lens</b>	Welding no. 5



## DESCRIPTION

Indirect ventilation, soft, flexible vinyl frame, 50mm round polycarbonate green lens with a No. 5 flip-up welding shade.

Used for gas welding, brazing, and cutting.

TECHNICAL DATA



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

## STANDARDS

This personal protective equipment complies with the requirements of the following harmonized standard:

EN 166:2002: Personal equipment for eye protection. Basic requirements.

EN 169:2003: Personal eye protection - Filters for welding and related techniques - Transmittance requirements and recommended use

EN 175:1997: Personal protection- Equipment for eye and face protection during welding and allied processes.

Certified by notified body no. 2797 (BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, Netherlands), Certificate number 712334, dated 20<sup>th</sup> of September 2024.



TECHNICAL DATA

Anti-fogging lens	x	
Anti-scratching lens	x	
Adjustable temple length	x	
Adjustable temple angle	x	



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

<b>NUMBER OF PIECES IN CARTON</b>	120 pc
<b>CARTON WEIGHT</b>	21 kg
<b>CARTON SIZE</b>	0,108 m <sup>3</sup>
<b>Polybag packing (pieces):</b>	1 pc

Store in dry and dark environment away from direct sunlight at temperatures of -5°C to +55°C, relative humidity 90% and out of sources of gasoline vapors and solvents. It is recommended to clean after each use. Clean at room temperature with a clean cloth, lightly moistened with a concentrated solution of water and detergent. Do not use hot water, fuel, degreasing fluids, organic solvents or abrasive cleaners.



TECHNICAL DATA