



ARDON®
WORKWEAR
& OUTDOOR

ARDON® 4TIG

WELDING PROTECTION



TECHNICAL DATA





ARDON®
WORKWEAR
& OUTDOOR

ARDON® 4TIG

WELDING PROTECTION

CODE A2013

MATERIAL

Palm goatskin leather (grey)
Back goatskin leather (grey)
Cuff cowsplit leather (soft, grey)
Thickness 0,7 – 1,0 mm (in palm)

SIZE(S) 8 / M – 11 / 2XL

UNIT pair

PACKING


Units in carton 120 párů → 72 párů změna kartonáže v 5/2026
Units in polybag 12 pairs
Retail packaging N/A

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	56x33x37	56x33x37	56x33x37	56x33x37	-
Carton (cbm)	-	-	-	0,0684	0,0684	0,0684	0,0684	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	23,10	23,80	24,10	24,30	-
Unit (g)	-	-	-	180,8	186,7	189,2	190,8	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	34,0	34,5	35,5	37,0	-
Cuff length (B)	-	-	-	27,0	28,0	29,0	30,0	-
Cuff width (C)	-	-	-	15,0	15,0	15,0	15,0	-
Palm width (D)	-	-	-	11,75	12,0	12,8	13,3	-

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)

Tolerance (D) ± 0,50 (cm)

DESCRIPTION

Full leather gloves made of goatskin and soft cowsplit leather with Kevlar seams.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
 cut resistance
 tearing resistance
 puncture resistance
 cut resistance acc. to ISO

LVL

2
1
2
2
X

score

500 – 2.000
1,2 – 2,5
25 – 50
60 - 100
not measured

unit

cycles
index
N
N
N

EN 407:2020

Protective gloves against heat or flame



PROTECTION LEVELS

THERMAL RISKS

resistance to burning
 resistance to contact heat
 resistance to convectional heat
 resistance to radiant heat
 resistance to small drops of molten metals
 resistance to large drops of molten metals

LVL

4
1
2
X
4
X

score

100°C for 15s
not measured
not measured

EN 12477:2001:2001/A1:2005

Protective gloves for welders

TYP B

SPECIAL FEATURES

- welding gloves class B (TIG)
- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with good mechanical abrasion resistance
- with Kevlar seams
- heat protection up to 100 ° C
- ARDON® design:
 - mandatory information on inner label
 - hi-viz manufacturer's logo

TECHNICAL DATA



ARDON®

**WORKWEAR
& OUTDOOR**

Basic packaging (without sales label)

A2013/08

A2013/09

A2013/10

A2013/11

EAN

8592390116710

8592390116727

8592390116734

8592390116741

TECHNICAL DATA