



ARDON®
WORKWEAR
& OUTDOOR

ARDON® COY

WELDING PROTECTION



TECHNICAL DATA



EN 388: 2016



EN 407:2020



ARDON®
WORKWEAR
& OUTDOOR

ARDON® COY

WELDING PROTECTION

CODE

A2006
A8099 (with Kevlar seams)

MATERIAL

Palm cowgrain leather (white)
 Back cowsplit leather (grey)
 Cuff cowsplit leather (stiff)
 Thickness 0,9 - 1,0 ± 0,1 mm (in palm)

SIZE(S)

9 / L (only A2006 from 04/2024), 8 / M (only A8099), 11 / 2XL

UNIT

pair

PACKING


Units in carton 60 pairs
 Units in polybag 12 pairs
 Retail packaging N/A

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	69x15x36	69x15x37	-	71x15x38	-
Carton (cbm)	-	-	-	0,375	0,0383	-	0,0405	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	11,40	11,60	-	15,00	-
Unit (g)	-	-	-	170,0	193,0	-	250,0	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	33,0	35,0	-	35,0	-
Cuff length (B)	-	-	-	15,0	15,0	-	15,0	-
Cuff width (C)	-	-	-	13,0	12,5	-	13,0	-
Palm width (D)	-	-	-	11,50	13,0	-	14,0	-

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)

Tolerance (D) ± 0,50 (cm)

DESCRIPTION

Full leather gloves made of cowgrain and cowsplit leather.

TECHNICAL DATA



STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
 cut resistance
 tearing resistance
 puncture resistance
 cut resistance acc. to ISO

LVL	score	unit
3	2.000 – 8.000	cycles
1	1,2 – 2,5	index
3	50 - 75	N
2	60 – 100	N
X	not measured	N

EN 407:2020

Protective gloves against heat or flame



PROTECTION LEVELS

THERMAL RISKS

resistance to burning
 resistance to contact heat
 resistance to convectional heat
 resistance to radiant heat
 resistance to small drops of molten metals
 resistance to large drops of molten metals

LVL	score
4	
1	100°C for 15s
3	
X	not measured
4	
X	not measured

EN 12477:2001

Protective gloves for welders

TYP A

SPECIAL FEATURES

- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- full leather gloves with good mechanical abrasion resistance
- fine, soft and pliable leather
- heat protection up to 100 ° C
- version offer:
 - with Kevlar seams (better burn resistance)
 - classic seams (cheaper)



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A2006/09
A2006/11
A8099/08
A8099/11

EAN

8592390341419
8592390000293
8592390359070
8592390129031

TECHNICAL DATA



ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL DATA