



ARDON®
WORKWEAR
& OUTDOOR

ARDON® VOG S1

SAFETY SHOES



DRY AIR



WASH-FRIENDLY



ZIPPERS

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® VOG S1

SAFETY SHOES

ARTICLE G1267

MATERIAL

Upper MICROFIBER with a thickness of 1,6 mm
Lining MESH laminated breathable fabric
Sole PU/PU, two-component spray coating, oil resistant, anti-static, antislip
Toe cap steel 459
Plate -
Insole BASIC

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
Units in a box 1 pair

DIMENSIONS

	36-42	43-48
Carton H x W x D (cm)	61 x 33,5 x 40,5	64,5 x 35,5 x 42,5
Carton (cbm)	0,0828	0,0973

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	234	241	247	254	261	267	274	281	287	294	301	307	314	-	-	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,9	27,6	28,2	28,9	29,6	30,2	30,9	-	-	-

DESCRIPTION

White safety sandal with microfiber upper and steel toe cap. Two-component polyurethane sole with the highest level of anti-slip protection.



ARDON®
WORKWEAR
& OUTDOOR

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment - Occupational footwear

EN IEC 61340-4-3:2018 Electrostatics: Standard test methods for specific application – Footwear

Category S1 SRC ESD

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heat up to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
The shoes do not contain metal parts		
-		
-		
-		



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1267/36	8592390061102	10.3	1.03
G1267/37	8592390061119	10.4	1.04
G1267/38	8592390061126	10.6	1.06
G1267/39	8592390061133	10.9	1.09
G1267/40	8592390061140	11.1	1.11
G1267/41	8592390061157	11.3	1.13
G1267/42	8592390061164	11.5	1.15
G1267/43	8592390061171	11.9	1.19
G1267/44	8592390061188	12.5	1.25
G1267/45	8592390061195	12.8	1.28
G1267/46	8592390061201	13.2	1.32
G1267/47	8592390061218	13.7	1.37
G1267/48	8592390061225	14.2	1.42



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

