



**ARDON®**  
WORKWEAR  
& OUTDOOR

# ARDON® KING O1

WORKING SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® KING O1

WORKING SHOES

**ARTICLE** G3321

**MATERIAL**

Upper buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm  
 laminated breathable fabric MESH

Lining PU/PU, two-component spray coating, oil resistant, anti-static, antislip  
 Sole

Toe cap  
 Plate  
 Insole

BASIC

**SIZE** 36-48

**UNIT** pair

**PACKAGE**  
 Units in a carton 10 pairs  
 Units in a box 1 pair

**DIMENSIONS**

Carton H x W x D (cm)

36-43  
 36 x 49 x 65

44-48  
 37 x 49,5 x 69

Carton (cbm)

0,115

0,126

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	247	255	262	270	276	282	288	298	304	309	315	320	-	-	-
Foot length cm	-	23,1	23,7	24,5	25,2	26,0	26,6	27,2	27,8	28,8	29,4	29,9	30,5	31,0	-	-	-

**DESCRIPTION**

Ardon ankle shoes with leather uppe (with hydrophobic treatment) , with reflective elements.  
 Sole made of double density PU / PU material.



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20347:2022+A1:2024 Personal protective equipment –Occupational footwear

Category O1 FO SR

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WPA - water penetration and absorption		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
The shoes do not contain metal parts		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
-		
-		
-		

TECHNICAL SHEET



**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3321/36	8592390116819	13,20	1,320
G3321/37	8592390116826	13,60	1,360
G3321/38	8592390116833	13,90	1,390
G3321/39	8592390116840	14,40	1,440
G3321/40	8592390116857	14,70	1,470
G3321/41	8592390116864	15,10	1,510
G3321/42	8592390116871	15,80	1,580
G3321/43	8592390116888	16,60	1,660
G3321/44	8592390116895	17,40	1,740
G3321/45	8592390116901	17,90	1,790
G3321/46	8592390116918	18,00	1,800
G3321/47	8592390116925	18,20	1,820
G3321/48	8592390116932	18,50	1,850



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET