



**ARDON®**

**WORKWEAR  
& OUTDOOR**

# ARDON® KINGSAN O1

WORKING SHOES



**DRY AIR**



**REFLECTIVE**



**ZIPPERS**

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® KINGSAN O1

WORKING SHOES

**ARTICLE** G3323

## MATERIAL

Upper	buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm
Lining	laminated breathable fabric MESH
Sole	PU/PU, two-component spray coating, oil resistant, anti-static, antislip
Toe cap	
Plate	
Insole	BASIC
<b>SIZE</b>	36-48
<b>UNIT</b>	pair
<b>PACKAGE</b>	
Units in a carton	10 pairs
Units in a box	1 pair

## DIMENSIONS

	36-43	44-48
Carton H x W x D (cm)	36 x 49 x 65	37 x 49,5 x 69
Carton (cbm)	0,115	0,126

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	247	255	262	270	276	282	288	298	304	309	315	320	-	-	-
Foot length cm	-	23,6	24,2	25,0	25,7	26,5	27,1	27,7	28,3	29,3	29,9	30,4	31,0	31,5	-	-	-

## DESCRIPTION

Sandal with leather upper, fastening with Velcro strap. Sole made of double density PU /PU material.



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20347:2022+A1:2024 Personal protective equipment –Occupational footwear

Category O1 FO SR

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WPA - water penetration and absorption		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
The shoes do not contain metal parts		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
-		
-		
-		

TECHNICAL SHEET



**ARDON®**

**WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3323/36	8592390117076	12,00	1,200
G3323/37	8592390117083	13,30	1,330
G3323/38	8592390117090	13,60	1,360
G3323/39	8592390117106	13,80	1,390
G3323/40	8592390117113	13,90	1,390
G3323/41	8592390117120	14,10	1,410
G3323/42	8592390117137	14,20	1,420
G3323/43	8592390117144	14,40	1,440
G3323/44	8592390117151	14,90	1,490
G3323/45	8592390117168	15,90	1,590
G3323/46	8592390117175	16,10	1,610
G3323/47	8592390117182	16,40	1,640
G3323/48	8592390117199	16,80	1,680



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET