



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

## ARDON<sup>®</sup> WINFINE WP

HANDLING IN DRY AND WET ENVIRONMENTS WITH PROTECTION AGAINST VERY LOW AND HIGH TEMPERATURES WITH HIGH MECHANICAL PROTECTION



TECHNICAL DATA



EN 388: 2016



EN 407: 2004



EN 511: 2006



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® WINFINE WP

HANDLING IN DRY AND WET ENVIRONMENTS WITH PROTECTION AGAINST VERY LOW AND HIGH TEMPERATURES WITH HIGH MECHANICAL PROTECTION

**CODE** A9144

### MATERIAL

Lining 7G acrylic (inner) + 13G polyester (outer)  
Coating latex (whole) + latex foam with sand pattern (palm)  
Thickness 4,5 mm (in palm)

**SIZE(S)** 8 / M – 12 / 3XL

**UNIT** pair

### PACKING


Units in carton 60 pairs  
Units in polybag 12 pairs  
Retail packaging sales label (-SPE), size 09, 10,11 is a sales label

### DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	58x28x25	58x28x25	58x28x25	58x28x25	58x28x25
Carton (cbm)	-	-	-	0,0406	0,0406	0,0406	0,0406	0,0406

### WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	7,900	8,600	9,000	9,300	9,500
Unit (g)	-	-	-	131,7	143,3	150,0	155,0	158,3



### Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	25,0	26,0	26,5	27,0	28,0
Cuff length (B)	-	-	-	7,70	7,70	8,40	8,70	8,90
Cuff width (C)	-	-	-	7,70	8,00	8,40	8,80	9,00
Palm width (D)	-	-	-	10,0	10,5	11,0	11,3	11,5

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,30 (cm)

Tolerance (C) ± 0,30 (cm)

Tolerance (D) ± 0,30 (cm)

### DESCRIPTION

Winter gloves with double knit dipped in latex and latex foam with sand pattern (sand-like finish).

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## STANDARDS


(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods


**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

**EN 407:2020** Protective gloves against heat or fire


**EN 511:2006** Requirements and methods for protection against cold

 EN 388	PROTECTION LEVELS	LVL	score	unit
	<b>MECHANICAL RISKS</b>			
	abrasion resistance	3	2.000 – 8.000	cycles
	cut resistance	2	2,5 – 5,0	index
	tearing resistance	4	75	N
	puncture resistance	2	60 – 100	N
	cut resistance acc. to ISO	X	X	N

**EN 407:2004** Protective gloves against heat or flame

 EN 407	PROTECTION LEVELS	LVL	score
	<b>THERMAL RISKS</b>		
	resistance to burning	X	not measured
	resistance to contact heat	2	250°C for 15s
	resistance to convectional heat	X	not measured
	resistance to radiant heat	X	not measured
	resistance to small drops of molten metals	X	not measured
	resistance to large drops of molten metals	X	not measured

**EN 511:2006** Protective gloves against cold

 EN 511	PROTECTION LEVELS	LVL	
	<b>COLD RISKS</b>		
	resistance to convection cold	X	not measured
	resistance to contact cold	2	
	water permeability	1	



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

### SPECIAL FEATURES

- fully dipped
- multifunctional so-called all-round gloves:
  - for work in dry environment (for example with water-based bulk mixtures, especially in building / mortar, paints, etc.)
  - high protection against cold and heat (composition of two layers of functional materials and a thick layer of latex better insulate against external influences and keep the body warm)
  - protection against heat up to 150°C\*
  - latex with sand pattern („sand-like finish“) serves as a barrier against liquids and palm injuries
- ARDON® design:
  - mandatory information on inner label
  - reflective manufacturer's logo



\* - according to certification up to 250°C for 15 seconds, but we generally do not recommend exposure to temperatures higher than 150°C, during which latex secondary vulcanizes and heats up

TECHNICAL DATA

#### Retail packaging (with sales label)

	EAN	HEM COLOR
A9144/08-SPE	8592390141835	blue
A9144/09-SPE	8592390141842	brown
A9144/10-SPE	8592390141859	black
A9144/11-SPE	8592390010278	green
A9144/12-SPE	8592390010261	Yellow

#### Basic packaging (without a sales label)

A9144/09	8592390375582	brown
A9144/10	8592390375599	black
A9144/11	8592390375605	green



**ARDON®**

**WORKWEAR  
& OUTDOOR**



TECHNICAL DATA