ARDON®NATURE TOUCH

COMFORTABLE HANDLING IN DRY ENVIRONMENT
(WITH CONTACT HEAT PROTECTION)



TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

ARDON®NATURE TOUCH

COMFORTABLE HANDLING IN DRY ENVIRONMENT
(WITH CONTACT HEAT PROTECTION)



CODE **A8083**

MATERIAL
Lining — 13G polyester, recycled polyester, elastane (pink-white melange)
Coating — latex foam (pink)
Thickness — 1,25 mm (in palm)


SIZE(S) 6 / XS – 9 / L

UNIT pair

PACKING
Units in carton — 240 pairs
Units in polybag — 12 pairs
Retail packaging — sales label

DIMENSIONS	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**
Carton H x W x D (cm)	-	60x40x27	60x40x27	60x40x27	60x40x28	-	-	-
Carton (cbm)	-	0,0648	0,0648	0,0648	0,0672	-	-	-

WEIGHT	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**
Carton (kg)	-	9,14	10,6	11,8	12,8	-	-	-
Unit (g)	-	31,0	36,0	41,0	45,0	-	-	-



Size chart (cm)	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**
total length (A)	-	22,0	23,0	24,0	25,0	-	-	-
cuff length (B)	-	7,00	7,20	7,40	7,60	-	-	-
cuff width (C)	-	7,80	8,00	8,20	8,40	-	-	-
palm width (D)	-	8,60	9,00	9,50	10,3	-	-	-

Tolerance (A) ± 0,50 (cm)
Tolerance (B) ± 0,50 (cm)
Tolerance (C) ± 0,50 (cm)
Tolerance (D) ± 0,50 (cm)

DESCRIPTION

Ecological knit dipped in latex foam with anti-slip finish.

TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED

STANDARDS

(EU) 2016/425
EN ISO 21420:2020 Protective gloves – general requirements and test methods
EN 388:2016 + A1:2018 Protective gloves against mechanical risks



PROTECTION LEVELS

MECHANICAL RISKS	**LVL**	**score**	**unit**
abrasion resistance	2	500 – 2.000	cycles
cut resistance	1	1,2 – 2,5	index
tearing resistance	2	25 – 50	N
puncture resistance	1	20 – 60	N
cut resistance acc. to ISO	X	not measured	N

EN 407:2004 Protective gloves against heat or flame



PROTECTION LEVELS

THERMAL RISKS	**LVL**	**score**
resistance to burning	X	not measured
resistance to contact heat	1	100°C for 15s
resistance to convectional heat	X	not measured
resistance to radiant heat	X	not measured
resistance to small drops of molten metals	X	not measured
resistance to large drops of molten metals	X	not measured

SPECIAL FEATURES
- lining made of a mixture of polyester and recycled polyester (from recycled PET bottles)
- 3D breathable (aslo in the place of coating)
- four color design (grey-white, blue-white, brown-white and pink-white melange)
- ARDON® design:
  - mandatory information on inner label
  - reflective producer´s logo

TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED

ARDON®
WORKWEAR & OUTDOOR

	EAN
Retail packaging (with sales label)	
A8083/06-SPE	8592390146434
A8083/07-SPE	8592390146441
A8083/08-SPE	8592390146458
A8083/09-SPE	8592390146465



TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED

ARDON®
WORKWEAR
& OUTDOOR







TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

ARDON®
WORKWEAR
& OUTDOOR



TECHNICAL DATA

© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz