



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® FLYTEX O1

WORKING SHOES



**DRY AIR**



**DEFUSE CONTROL**



**WASH-FRIENDLY**



**NONMETALLIC**

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® FLYTEX O1

WORKING SHOES

**ARTICLE**                      **G3355**                      **G3367**                      **G3408**

**MATERIAL**

Upper	3D KNIT type knitted two-layer fabric		
Lining	MESH laminated breathable fabric		
Sole	PU/PU, two-component spray coating, oil resistant, anti-static, antislip		
Toe cap	-		
Plate	-		
Insole	ANATOMIC GEL - anatomically shaped from PU foam with a gel cushioning in the heel area		

**SIZE**                              35-50                              35-50                              35-50

**UNIT**                              pair

**PACKAGE**

Units in a carton	10 pairs
Units in a box	1 pair

**DIMENSIONS**

	35-41	42-45	46-50
Carton H x W x D (cm)	57x 33 x 38,5	59,5x 35,5 x 40,5	62x38x41,5
Carton (cbm)	0,0724	0,0855	0,0978

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	228	235	241	248	255	262	270	276	283	290	297	304	310	317	323	330	-
Foot length cm	22,3	23,0	23,6	24,3	25,0	25,7	26,5	27,1	28,3	28,5	29,2	29,9	30,5	31,2	31,8	32,5	-

**DESCRIPTION**

Work shoe with a sporty design, fits perfectly on the foot thanks to the upper made of seamless „3D KNIT“ technology. The knitted upper consists of two layers of textile in a contrasting color design. Reinforcement by offset printing in the area of the toe and around the laces. The breathability of the shoes is ensured by the laminated MESH fabric in the area of the lining and the tongue. The ANATOMIC GEL insole with a cushioning gel element in the heel takes care of the increased comfort of the shoes. The stable polyurethane sole made by direct spray provides the highest level of anti-slip properties.

TECHNICAL SHEET



**ARDON**  
**WORKWEAR**  
**& OUTDOOR**

## NORMS

(EU) 2016/425

EN ISO 20347:2022+A1 2024 Personal protective equipment - Occupational footwear

Category O1 FO SR

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
The shoes do not contain metal parts	✓	
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
WPA - Water penetration and absorption		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
-		
-		
-		

TECHNICAL SHEET

**ARDON®****WORKWEAR  
& OUTDOOR**

<b>CODE</b>	<b>EAN</b>	<b>CARTON WEIGHT (KG)</b>	<b>UNIT WEIGHT (KG)</b>
G3355/35	8592390127204	8.4	0.84
G3355/36	8592390127211	8.6	0.86
G3355/37	8592390127228	8.8	0.88
G3355/38	8592390127235	9.0	0.90
G3355/39	8592390127242	9.2	0.92
G3355/40	8592390127259	9.4	0.94
G3355/41	8592390127266	9.7	0.97
G3355/42	8592390127273	10.1	1.01
G3355/43	8592390127280	10.6	1.06
G3355/44	8592390127297	11.0	1.10
G3355/45	8592390127303	11.5	1.15
G3355/46	8592390127310	12.1	1.21
G3355/47	8592390127327	12.5	1.25
G3355/48	8592390127334	13.0	1.30
G3355/49	8592390127341	13.5	1.35
G3355/50	8592390127358	14.0	1.40
G3367/35	8592390152572	8.4	0.84
G3367/36	8592390152589	8.6	0.86
G3367/37	8592390152596	8.8	0.88
G3367/38	8592390152602	9.0	0.90
G3367/39	8592390152619	9.2	0.92
G3367/40	8592390152626	9.4	0.94
G3367/41	8592390152633	9.7	0.97
G3367/42	8592390152640	10.1	1.01
G3367/43	8592390152657	10.6	1.06
G3367/44	8592390152664	11.0	1.10
G3367/45	8592390152671	11.5	1.15
G3367/46	8592390152688	12.1	1.21
G3367/47	8592390152695	12.5	1.25
G3367/48	8592390152701	13.0	1.30
G3367/49	8592390152718	13.5	1.35
G3367/50	8592390152725	14.0	1.40
G3408/35	8592390180216	8.4	0.84
G3408/36	8592390180223	8.6	0.86
G3408/37	8592390180230	8.8	0.88
G3408/38	8592390180247	9.0	0.90
G3408/39	8592390180254	9.2	0.92
G3408/40	8592390180261	9.4	0.94
G3408/41	8592390180278	9.7	0.97
G3408/42	8592390180285	10.1	1.01
G3408/43	8592390180292	10.6	1.06
G3408/44	8592390180308	11.0	1.10
G3408/45	8592390180315	11.5	1.15
G3408/46	8592390180322	12.1	1.21
G3408/47	8592390180339	12.5	1.25
G3408/48	8592390180346	13.0	1.30
G3408/49	8592390180353	13.5	1.35
G3408/50	8592390180360	14.0	1.40



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL SHEET