



ARDON®
WORKWEAR
& OUTDOOR

13159 Winter green

OCCUPATIONAL BOOTS



**WATER
REPELLENT**



WINTER

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

13159 Winter green

OCCUPATIONAL BOOTS

ARTICLE G3460

MATERIAL

Upper PVC
 Lining fur
 Sole PVC

SIZE 37-48

UNIT pair

PACKAGE

Units in a carton 6 pairs
 Units in a box 1 pair

DIMENSIONS

| | | | | | |
|-----------------------|----------------|---|---|---|---|
| | 37-48 | - | - | - | - |
| Carton H x W x D (cm) | 33,5 x 39 x 79 | - | - | - | - |
| Carton (cbm) | 0,103 | - | - | - | - |

| | | | | | | | | | | | | | | | | | |
|------------------|----|----|------|------|------|------|------|------|------|------|------|------|------|------|----|----|----|
| Size EUR | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 |
| Insole length mm | - | - | 255 | 260 | 265 | 270 | 275 | 280 | 290 | 295 | 300 | 310 | 315 | 320 | - | - | - |
| Foot length cm | - | - | 24,5 | 25,0 | 25,5 | 26,0 | 26,5 | 27,0 | 28,0 | 28,5 | 29,0 | 30,0 | 30,5 | 31,0 | - | - | - |

DESCRIPTION

Green occupational boots made of PVC with fur lining for greater wearing comfort. The sole made of PVC material has SR slip-resistant properties.

TECHNICAL SHEET



ARDON
WORKWEAR
& OUTDOOR

NORMS

(EU) 2016/425

EN ISO 20347:2022

Personal protective equipment – Occupational footwear

Category:

OB FO CI SR

| Categories | EN ISO 20347 | |
|---|--------------|--|
| E - energy absorption in the heel area | ✓ | |
| FO - resistance to oils and fuels | ✓ | |
| A - antistatic footwear | | |
| SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin | ✓ | |
| WPA - upper resistant to water | | |
| Safety toe cap for toe protection | | |
| P - resistance to punctures (protective insole) | | |
| The shoes do not contain metal parts | | |
| HRO - resistance to contact heatup to 300 °C | | |
| insulation of the bottom of the shoe against heat | | |
| insulation of the bottom of the shoe against the cold | ✓ | |
| Splatters of molten metal | | |
| ESD – shoe protects against electrostatic discharge and can be used on EPA premises | | |
| WR – water resistance of the entire footwear | | |
| - | | |
| - | | |
| - | | |

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

| CODE | EAN | CARTON WEIGHT (KG) | UNIT WEIGHT (KG) |
|-------------|---------------|-------------------------------|-----------------------------|
| G3460/37 | 8592390373090 | 11,65 | 1,165 |
| G3460/38 | 8592390373106 | 12,25 | 1,225 |
| G3460/39 | 8592390373144 | 12,55 | 1,255 |
| G3460/40 | 8592390373113 | 12,85 | 1,285 |
| G3460/41 | 8592390373151 | 13,45 | 1,345 |
| G3460/42 | 8592390373120 | 14,05 | 1,405 |
| G3460/43 | 8592390373168 | 14,70 | 1,470 |
| G3460/44 | 8592390373137 | 15,30 | 1,530 |
| G3460/45 | 8592390373175 | 15,90 | 1,590 |
| G3460/46 | 8592390373182 | 16,20 | 1,620 |
| G3460/47 | 8592390369406 | 16,80 | 1,680 |
| G3460/48 | 8592390369437 | 17,40 | 1,740 |



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

