



ARDON®
WORKWEAR
& OUTDOOR

ARDON® FLYTEX S1PS ESD

SAFETY SHOES



DRY AIR



DEFUSE CONTROL



WASH-FRIENDLY



NONMETALLIC



ESD

TECHNICAL SHEET



ARDON®
WORKWEAR
S. OUTDOOR

ARDON® FLYTEX S1PS ESD

SAFETY SHOES

ARTICLE	G3354	G3368	G3369
COLOUR	navy	neon	pink
MATERIAL	3D KNIT type knitted two-layer fabric		
Upper	MESH laminated breathable fabric		
Lining	PU/PU, two-component spray coating, oil resistant, anti-static, antislip		
Sole	composite 604		
Toe cap	kevlar		
Plate	ANATOMIC GEL - anatomically shaped from PU foam with a gel cushioning in the heel area		
Insole			
SIZE	34-51	35-50	35-42
UNIT	pair		
PACKAGE			
Units in a carton	10 pairs		
Units in a box	1 pair		
DIMENSIONS			
Carton H x W x D (cm)	34-41 57x 33 x 38,5	42-45 59,5x 35,5 x 40,5	46-51 62x38x41,5
Carton (cbm)	0,0724	0,0855	0,0978

Size EUR	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	50
Insole length mm	222	228	235	241	248	255	262	270	276	283	290	297	304	310	317	323	330	337
Foot length cm	21,7	22,3	23,0	23,6	24,3	25,0	25,7	26,5	27,1	28,3	28,5	29,2	29,9	30,5	31,2	31,8	32,5	

DESCRIPTION

Work shoe with a sporty design, fits perfectly on the foot thanks to the upper made of seamless „3D KNIT“ technology. The knitted upper consists of two layers of textile in a contrasting color design. Reinforcement by offset printing in the area of the toe and around the laces. The breathability of the shoes is ensured by the laminated MESH fabric in the area of the lining and the tongue. The ANATOMIC GEL insole with a cushioning gel element in the heel takes care of the increased comfort of the shoes. The stable polyurethane sole made by direct spray provides the highest level of anti-slip properties.

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

NORMS

(EU) 2016/425

EN ISO 20345:2022+A1:2024 Personal protective equipment – Safety footwear

EN IEC 61340-4-3:2018 Electrostatics: Standard test methods for specific application – Footwear

Category S1PS SR FO ESD

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WPA – water penetration and absorption		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
The shoes do not contain metal parts	✓	
HRO - resistance to contact heatup to 300 °C		
HI - insulation of the bottom of the shoe against heat		
CI - insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
-		
-		
-		

TECHNICAL SHEET



ARDON®

**WORKWEAR
& OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3354/34	8592390126870	10,1	1,01
G3354/35	8592390126870	10.3	1.03
G3354/36	8592390126887	10.5	1.05
G3354/37	8592390126894	10.8	1.08
G3354/38	8592390126900	11.3	1.13
G3354/39	8592390126917	11.6	1.16
G3354/40	8592390126924	12.0	1.20
G3354/41	8592390126931	12.4	1.24
G3354/42	8592390126948	12.8	1.28
G3354/43	8592390126955	13.2	1.32
G3354/44	8592390126962	13.5	1.35
G3354/45	8592390126979	13.7	1.37
G3354/46	8592390126986	14.3	1.43
G3354/47	8592390126993	14.6	1.46
G3354/48	8592390127006	14.8	1.48
G3354/49	8592390127013	15.2	1.52
G3354/50	8592390127020	15.7	1.57
G3354/51	8592390359780	16,1	1,61
G3367/35	8592390152572	10.3	1.03
G3367/36	8592390152589	10.5	1.05
G3367/37	8592390152596	10.8	1.08
G3367/38	8592390152602	11.3	1.13
G3367/39	8592390152619	11.6	1.16
G3367/40	8592390152626	12.0	1.20
G3367/41	8592390152633	12.4	1.24
G3367/42	8592390152640	12.8	1.28
G3367/43	8592390152657	13.2	1.32
G3367/44	8592390152664	13.5	1.35
G3367/45	8592390152671	13.7	1.37
G3367/46	8592390152688	14.3	1.43
G3367/47	8592390152695	14.6	1.46
G3367/48	8592390152701	14.8	1.48
G3367/49	8592390152718	15.2	1.52
G3367/50	8592390152725	15.7	1.57
G3369/35	8592390153517	10.3	1.03
G3369/36	8592390153524	10.5	1.05
G3369/37	8592390153531	10.8	1.08
G3369/38	8592390153548	11.3	1.13
G3369/39	8592390153555	11.6	1.16
G3369/40	8592390153562	12.0	1.20
G3369/41	8592390153579	12.4	1.24
G3369/42	8592390153586	12.8	1.28



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR



TECHNICAL SHEET