



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® FullTOUCH Wet

HANDLING IN A WET ENVIRONMENT



TECHNICAL DATA



EN 388: 2016



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® FullTOUCH Wet

HANDLING IN A WET ENVIRONMENT

**CODE** A4014

**MATERIAL**

Lining 100 % cotton  
 Coating nitrile (yellow)  
 Thickness 1,1 mm (in palm)

**SIZE(S):** 7 / S – 11 / 2XL

**UNIT** pair

**PACKING**


Units in carton 120 pairs  
 Units in polybag 12 pairs  
 Retail packing N/A

**DIMENSIONS**

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	41x28x42	41x28x42	41x28x44	41x28x44	41x28x44	-
Carton (cbm)	-	-	0,050512	0,050512	0,050512	0,050512	0,050512	-

**WEIGHT**

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	10,65	11,78	12,93	13,67	14,6	-
Unit (g)	-	-	10650	11780	12930	13670	14060	-



**Size chart (cm)**

	5	6	7	8	9	10	11	12
Total length (A)	-	-	24	25	26	27	27,5	-
Cuff length (B)	-	-	6,5	6,5	6,5	6,5	6,5	-
Cuff width (C)	-	-	7,5	8	8,5	8,5	8,5	-
Palm width (D)	-	-	9,8	10,5	11,5	12,5	13,3	-

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)

Tolerance (D) ± 0,50 (cm)

**DESCRIPTION**

Cotton knit dipped in nitrile.

TECHNICAL DATA



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

## STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

4  
1  
2  
1  
X

#### score

< 8000  
1,2 – 2,5  
25 - 50  
20 – 60  
not measured

#### unit

cycles  
index  
N  
N  
N

### SPECIAL FEATURES

- fully-dipped
- elastic cuff knit

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A4014/07  
A4014/08  
A4014/09  
A4014/10  
A4014/11

**EAN**

8592390373014  
8592390372987  
8592390373021  
8592390372994  
8592390373038

TECHNICAL DATA