



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® CUT TOUCH 3F LP

SPECIAL HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION  
AND THERMAL PROTECTION



TECHNICAL DATA



EN 407:2020



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® CUT TOUCH 3F LP

SPECIAL HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION AND THERMAL PROTECTION

**CODE** A5112

**MATERIAL** 38% nylon, 38% polyethylene, 18% steel fibre, 6% spandex

Thickness 2,6 mm (in palm)

**SIZE(S):** 8 / M – 11 / 2XL

**UNIT** pair

**PACKING**


Units in carton 72 pairs  
 Units in polybag 12 pairs  
 Retail packaging N/A

**DIMENSIONS**

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	-	35x31*40	35x31*40	35x31*40	35x31*40	-
Carton (cbm)	-	-	-	0,0434	0,0434	0,0434	0,0434	-

**WEIGHT**

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	-	8	8,8	9,6	10	-
Unit (g)	-	-	-	106	111	120	125	-



**Size chart (cm)**

	5	6	7	8	9	10	11	12
Total length (A)	-	-	-	24,0	25,0	26,0	27,0	-
Cuff length (B)	-	-	-	8,0	9,0	9,5	10,0	-
Cuff width (C)	-	-	-	8,0	8,5	8,9	9,2	-
Palm width (D)	-	-	-	9,5	10,0	10,5	11,0	-

Tolerance (A) ± 0,50 (cm)  
 Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)  
 Tolerance (D) ± 0,50 (cm)

**DESCRIPTION**

Combined gloves made of cowsplit leather with high cut protection.

TECHNICAL DATA



**ARDON®**

**WORKWEAR  
& OUTDOOR**

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388+A1



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance	4	> 8.000	cycles
cut resistance	3	5 - 10	index
tearing resistance	4	> 75	N
puncture resistance	3	100 - 150	N
cut resistance acc. to ISO	F	> 30	N

#### LVL

#### score

#### unit

**EN 407:2020**

Protective gloves against heat or flame

### PROTECTION LEVELS

#### THERMAL RISKS

resistance to burning	X	not measured
resistance to contact heat	1	100°C for 15s
resistance to convectional heat	X	not measured
resistance to radiant heat	X	not measured
resistance to small drops of molten metals	X	not measured
resistance to large drops of molten metals	X	not measured

#### LVL

#### score

EN 407



TECHNICAL DATA

### SPECIAL FEATURES

seamless knit

leather palm reinforcement

high cut resistance

heat resistant

ARDON® design:

- mandatory information included on the inner label





**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A5112/08

A5112/09

A5112/10

A5112/11

**EAN**

8592390370785

8592390370792

8592390370808

8592390370587

TECHNICAL DATA



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL DATA