

Industrial / Spectacles / 5X2

5X2 Advanced - Clear

Code: 5X2.03.02.00

Date: 01-04-26 1/3

Ultra-Protective, Incredibly Comfortable, and Unbelievably Versatile: the 5X2 is designed to fit seamlessly over any prescription frame, whether thin or large. It offers an expansive 15% increase in field of vision without the bulkiness associated with traditional safety OTG.



Frame mark (ANSI)

U Z87+

Frame mark ISO 16321

16321 U DT

Lens mark (ANSI)

U + U6 X

Lens mark ISO 16321

U UL1,2 DT K N

Frame technology

Overspec, Rubber Terminal

Conditions of use

Standard brightness

Lens technology

Anti-Scratch + Anti-Fog (KN - Vanguard PLUS), UV400

Lens color

Clear

Lens material

Polycarbonate

Frame color

Black/Green

Standards

ANSI/ISEA Z87.1, ISO 16321

Mechanical resistance

Impact level resistance: 80 m/s (D)

Optional requirements

Resistance to surface damage by fine particles (K), Resistance to fogging of oculars (N), Protection against high speed particles at extreme temperatures -5°/+55° C (T)

Optical class

Optical class (1)

PPE Category

2nd Category

Weight

43g

Industrial / Spectacles / 5X2

5X2 Advanced - Clear

Code: 5X2.03.02.00

Date: 01-04-26 2/3

>> <https://www.univetsafety.com/en/products/safety/spectacles/5x2/5x2-advanced-clear/>

Attention! Any images on this page illustrate the frame technologies of the product family in question and may represent frame and lens colours that do not correspond to the product code of the following sheet.

HEADQUARTERS

Univet S.r.l. Via Giovanni Prati 87 25086 Rezzato - Telephone 030 2499411 - Fax 030 2499430 - info@univetsafety.com
VAT. IT02506570163